



## Faro carrabile ad incasso a 21 led di potenza

Fari a led particolarmente adatti ad applicazioni in ambienti esterni. Concepiti con una robusta e raffinata struttura rispondono ad impieghi di carrabilità o di immersione. Può essere immerso, essendo completamente stagno, in spazi d'acqua o fontane. Disponibili con diverse ottiche che distribuiscono la luce in modo diffuso o concentrato, consentono di illuminare manufatti o spazi di notevoli dimensioni.


- Corrente nominale di alimentazione 1050 mA DC
- Flangia in acciaio inox.
- Controcassa in alluminio anodizzato.
- Potenze dei singoli led da 1,2 W.
- Grado di protezione IP68.
- Carico sopportabile fino a 2500 kg.
- Fornito con 1 mt di cavo guaina in neoprene.
- Guarnizioni in silicone.

## 21 LED power carriage recessed spotlight

*Led lights particularly suitable for outside applications. Their solid structure is thought to be used in carriage roads or in water since they are watertight.*

*Available with different optics that supply both diffuse and concentrated light, they allow you to light products or very big spaces.*

- *Nominal current 1050 m ADC*
- *Flange in stainless steel.*
- *Recessed fixing case made in anodized aluminium.*
- *LED power 1,2 W.*
- *IP68 protection degree.*
- *Bearable load up to 2500 kg.*
- *1-mt-neoprene cable is supplied.*
- *Silicone gaskets.*



### FLASH 90

- 21x1,2W - SMALL BEAM
- AB\_AO\_4\_0\_B\_0\_0 Natural White
- AB\_AO\_4\_1\_B\_0\_0 Cool White
- AB\_AO\_4\_2\_B\_0\_0 Warm White

### FLASH 90

- 21x1,2W - MEDIUM BEAM
- AB\_AO\_4\_0\_D\_2\_0 Natural White
- AB\_AO\_4\_1\_D\_2\_0 Cool White
- AB\_AO\_4\_2\_D\_2\_0 Warm White

### FLASH 90

- 21x1,2W - LARGE BEAM
- AB\_AO\_4\_0\_G\_3\_0 Natural White
- AB\_AO\_4\_1\_G\_3\_0 Cool White
- AB\_AO\_4\_2\_G\_3\_0 Warm White

21 LED	25,2 W		
	If max.	Total flux	cct/ $\lambda$ d
● Natural White	350 mA	2247 lm	4000 k
○ Cool White	350 mA	2394 lm	6500 k
● Warm White	350 mA	2100 lm	3100 k

Altri colori disponibili su richiesta e con minimo d'ordine



Disponibile a richiesta con flangia nera, con sovrapprezzo.

Available on request with black flange, with over price.



## Faro carrabile ad incasso a 21 led di potenza

Fari a led particolarmente adatti ad applicazioni in ambienti esterni. Concepiti con una robusta e raffinata struttura rispondono ad impieghi di carrabilità o di immersione. Può essere immerso, essendo completamente stagno, in spazi d'acqua o fontane. Disponibili con diverse ottiche che distribuiscono la luce in modo diffuso o concentrato, consentono di illuminare manufatti o spazi di notevoli dimensioni.


- Corrente nominale di alimentazione 1050 mA DC
- Flangia in acciaio inox.
- Controcassa in alluminio anodizzato.
- Potenze dei singoli led da 1,2 W.
- Grado di protezione IP68.
- Carico sopportabile fino a 2500 kg.
- Fornito con 1 mt di cavo guaina in neoprene.
- Guarnizioni in silicone.

## 21 LED power carriage recessed spotlight

*Led lights particularly suitable for outside applications. Their solid structure is thought to be used in carriage roads or in water since they are watertight.*

*Available with different optics that supply both diffuse and concentrated light, they allow you to light products or very big spaces.*

- Nominal current 1050 mA DC
- Flange in stainless steel.
- Recessed fixing case made in anodized aluminium.
- LED power 1,2 W.
- IP68 protection degree.
- Bearable load up to 2500 kg.
- 1-mt-neoprene cable is supplied.
- Silicone gaskets.



### FLASH 90R

21x1,2W - SMALL BEAM

AB\_BO\_4\_0\_B\_0\_0 Natural White

AB\_BO\_4\_1\_B\_0\_0 Cool White

AB\_BO\_4\_2\_B\_0\_0 Warm White

### FLASH 90R

21x1,2W - MEDIUM BEAM

AB\_BO\_4\_0\_D\_2\_0 Natural White

AB\_BO\_4\_1\_D\_2\_0 Cool White

AB\_BO\_4\_2\_D\_2\_0 Warm White

### FLASH 90R

21x1,2W - LARGE BEAM

AB\_BO\_4\_0\_G\_3\_0 Natural White

AB\_BO\_4\_1\_G\_3\_0 Cool White

AB\_BO\_4\_2\_G\_3\_0 Warm White

21 LED	25,2 W		
	If max.	Total flux	cct/ $\lambda$ d
● Natural White	350 mA	2247 lm	4000 k
○ Cool White	350 mA	2394 lm	6500 k
● Warm White	350 mA	2100 lm	3100 k

Altri colori disponibili su richiesta e con minimo d'ordine

# KUBE

E' un marchio di MEC STUDIO di Fontana Antonio  
via S. Maria dell'Olmo, 55/F • Thiene (VI) Italy  
Tel. e fax 0445 372129 • [info@kubelluminazione.com](mailto:info@kubelluminazione.com)  
[www.kubelluminazione.com](http://www.kubelluminazione.com)

IL COSTRUTTORE SI RISERVA IL DIRITTO DI APPORTARE TUTTE LE MODIFICHE CHE RITERRÀ OPPORTUNO AL FINE DI MIGLIORARE I PRODOTTI PRESENTI NEL SEGUENTE CATALOGO. LE ILLUSTRAZIONI E FOTOGRAFIE SONO PURAMENTE INDICATIVE. È VIETATO L'USO E LA RIPRODUZIONE ANCHE PARZIALE DEL MATERIALE QUI PRESENTATO. TUTTI I DIRITTI SONO RISERVATI.

[WWW.MECCLADDESIGN.IT](http://WWW.MECCLADDESIGN.IT)